



P.O. Box 9, Lr. Woods Harbour, Shelb. Co.,  
 Nova Scotia Canada B0W 2E0  
 (902) 723-2878 PH (902) 723-2558 FAX  
[jdixon@dixonsmarine.com](mailto:jdixon@dixonsmarine.com)

<b>Model #1: Dixon 42' x 15'</b>	(Standard Width out of Mould)	<u>Yes</u> <u>NO</u>
<b>Model #2: Dixon 45' x 16'8"</b>	(Standard Width out of Mould)	_____
<b>Model #3: Dixon Offshore 50' x 20'</b>	(Standard Width out of Mould)	_____
<b>Model #4: Dixon Under CSI 45' x 16'8"</b>	(Standard Width out of Mould)	_____

Design similar to (boat seen that you like): \_\_\_\_\_

Color of Hull \_\_\_\_\_

Color of Wheelhouse \_\_\_\_\_

Sand and anti-foul paint on bottom of hull      Color: \_\_\_\_\_

Hull widened      Width desired: \_\_\_\_\_

Hull Lengthened      Length desired: \_\_\_\_\_

Hull Raised      Height: \_\_\_\_\_      Where: \_\_\_\_\_

Name and port of call painted on vessel \_\_\_\_\_

**Wheelhouse:**

Split wheelhouse: American Style \_\_\_\_\_

West Coast style wheelhouse( windows slanted fwd.) \_\_\_\_\_

Raise trunk cabin \_\_\_\_\_

Extension on back of wheelhouse as overhang only      Length: \_\_\_\_\_

Extension enclosed for larger wheelhouse to allow for galley on deck \_\_\_\_\_

Fiberglass Arch \_\_\_\_\_

PVC or Aluminum Handrails on house      Choice: \_\_\_\_\_

Marinelite PVC Windows or Rubberset Windows      Choice: \_\_\_\_\_

Marinelite PVC Slider      Qty: \_\_\_\_\_

Offshore Complete Wiper Package      Qty: \_\_\_\_\_

Clearview \_\_\_\_\_

Standard Aluminum aerial stand on top of house \_\_\_\_\_

A-Frame style spar & boom \_\_\_\_\_

Spar & Boom Size: \_\_\_\_\_ Length of Boom: \_\_\_\_\_

Pullmasters winch on boom / derrick      Qty: \_\_\_\_\_ Location: \_\_\_\_\_

Radar Stand on front of aerial stand \_\_\_\_\_

19" x 19" Nibo Escape hatch \_\_\_\_\_

24" x 24" Nibo Escape hatch \_\_\_\_\_

**Notes:** \_\_\_\_\_

\_\_\_\_\_

**Power Plant:**

Propulsion      Make: \_\_\_\_\_ Reduction: \_\_\_\_\_ Ratio: \_\_\_\_\_ hp: \_\_\_\_\_

Fiberglass Engine beds, filled with foam for sound barrier \_\_\_\_\_

Installation of engine, includes alignment, hook-up of cables, hoses, and panel \_\_\_\_\_

Raw water heat exchange for engine cooling \_\_\_\_\_

Cooling pipes : Galv \_\_\_\_\_ Copper: \_\_\_\_\_

Keel Cooled: \_\_\_\_\_

Water Separator: Racor \_\_\_\_\_

Generator:      Make: \_\_\_\_\_ Size: \_\_\_\_\_

**Notes:** \_\_\_\_\_

\_\_\_\_\_

**Insulation:**

**Yes   No**

Engine Room insulated with pearl light foam sheathed with 1/4" plywood and glassed.

Ceiling \_\_\_\_\_ Forward Bulkhead \_\_\_\_\_ Aft Bulkhead \_\_\_\_\_

\_\_\_\_\_

Engine Room insulated with sound down foam and rubber scrim

Ceiling \_\_\_\_\_ Forward Bulkhead \_\_\_\_\_ Aft Bulkhead \_\_\_\_\_

\_\_\_\_\_

Fishhold insulated and under deck with pearl light 2" foam completely glassed.

\_\_\_\_\_

Laxerette insulated and under deck with pearl light 2" foam completely glassed.

\_\_\_\_\_

**Notes:**

\_\_\_\_\_

\_\_\_\_\_

**Livewell Tanks:**

Livewell tanks below deck to include all plumbing and hookups, hatches to be priced separately

Livewell hatch size: \_\_\_\_\_

Livewell Capacity: Crates \_\_\_\_\_ or Size: \_\_\_\_\_

\_\_\_\_\_

Type of pump: \_\_\_\_\_

**Rope Locker:**

Rope Locker with scupper as drain (Hatch to be priced separately)

Size: \_\_\_\_\_

\_\_\_\_\_

**Exhaust Options:**

Wet exhaust: Fiberglass pipe, s/s transom flange, rubber flapper, expansion joints and surge tube.

Fiberglass burp muffler on wet exhaust.

\_\_\_\_\_

Dry exhaust: Iron from engine to under deck, s/s from deck up with flex, flanged wrapped & s/s muffler

Exhaust locker to enclose dry exhaust under house roof.

\_\_\_\_\_

**Notes:**

\_\_\_\_\_

\_\_\_\_\_

**Underwater Gear:**

Split Coupling on rudder

\_\_\_\_\_

Steel rudder with jump collar

\_\_\_\_\_

Stainless steel rudder with jump color

\_\_\_\_\_

Shafting: S/S 316 shaft complete with cutlass, stern tube or wet well, inside packing box, one bearing

tapered key and stern tube nut. Size: \_\_\_\_\_

\_\_\_\_\_

Dripless Seal

\_\_\_\_\_

Brass rudder stuffing box

\_\_\_\_\_

Shaft line completely covered with moulded inspection plates.

\_\_\_\_\_

Propeller: Standard Hawboldts wheel Size: \_\_\_\_\_

\_\_\_\_\_

Other: Specify: \_\_\_\_\_

**Notes:**

\_\_\_\_\_

\_\_\_\_\_

**Interior Finish:**

Yes    No

**Forecastle finish:**

**Dixon 42' & 45'**

Standard moulded components include two single berths, table, cupboards over table, and cabinet for sink and stove.

Interior Finish:    Plywood glassed and gelcoated  
                                 Oak or Similar  
                                 Moulded fiberglass finish

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

**Offshore 50' +**

Offshore 50' + interior is customer driven based on your needs. Standard is 4 bunks, small counter sink and table and bench seats.

Interior Finish:    Plywood glassed and gelcoated  
                                 Oak or Similar  
                                 Arborite finish with wood trim

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

**Additional options in Forecastle:**

Extra Bunks                                    Qty: \_\_\_\_\_

Bunk in Wheelhouse

\_\_\_\_\_  
\_\_\_\_\_

**\*\*please use space below to describe interior layout**

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

20" S/S sink

15-1/2" x 12-3/4" Sink

Single tap on sink

PVC Fresh Water Tank                    # of Gallons \_\_\_\_\_

Fiberglass Fresh Water Tank            # of Gallons \_\_\_\_\_

Propane stove with oven & 2 20lb tanks with moulded box & all hardware

Electric stove with oven

S/S rack for above stove

S/S Bus heater, 4 vents

Head in for castle:

    Plywood glassed and gelcoated \_\_\_\_\_

    Oak or similar \_\_\_\_\_

    Moulded or Arborite \_\_\_\_\_

Toilet: Electric Flush Jabsco            12V \_\_\_\_\_ 24V \_\_\_\_\_ Manual \_\_\_\_\_

Toilet: Manual flush

Sink for Head with taps \_\_\_\_\_ Hand Pump \_\_\_\_\_

Black Water Tank 30 Gal. PVC complete with macerator pump and dock suction hook up

Shower plumbed to hot water with drainage in floor

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

**Notes:**

\_\_\_\_\_

\_\_\_\_\_



Yes    No

2.5 Dual ram Hydra-Slave power steering

Extra Steering Helm and S/S Steering Wheel Qty: \_\_\_\_\_ Location: \_\_\_\_\_

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

Fuel tanks installed to include valves and fillers

Aluminum: \_\_\_\_\_ Steel: \_\_\_\_\_ S/S: \_\_\_\_\_ Fiberglass: \_\_\_\_\_ # of Gallons: \_\_\_\_\_

Sight tubes on fuel tanks

**Notes:**

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

**Electrical:**

Yes    No

Package includes vessel completely wired with navigation lights, 30 circuit panel, one fo'csle light two engine room lights, one compass light, one shelter light, one quartz deck flood light and one battery selector switch

12V \_\_\_\_\_ 24V \_\_\_\_\_ 32V \_\_\_\_\_

Double Nav lights for over 49'2" (Transport Canada)

Upgrade to LED lighting throughout boat

\_\_\_\_\_  
\_\_\_\_\_

Options:

Light in head Qty: \_\_\_\_\_

Light in Fishhole Qty: \_\_\_\_\_

Light in Lazerette Qty: \_\_\_\_\_

Extra quartz deck flood Qty: \_\_\_\_\_

Extra light in wheelhouse Qty: \_\_\_\_\_

Extra light in cuddy

Extra light in engine room Qty: \_\_\_\_\_

8D Batteries Qty: \_\_\_\_\_

Rayline 7" Spotlight with seal beam

Plug at steering station

Split panel for dual DC Voltage (required on all 24V & above vessels)

Inverter Model: \_\_\_\_\_

Converter Model: \_\_\_\_\_

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

**If genset is included in pkg:**

Shore Pwr Cord: Length \_\_\_\_\_

Metal Halide Lights

400W: Qty : \_\_\_\_\_ Location: \_\_\_\_\_

1000W Qty: \_\_\_\_\_ Location: \_\_\_\_\_

1500W Qty: \_\_\_\_\_ Location: \_\_\_\_\_

Forced Air Electric Heater Qty: \_\_\_\_\_ Location: \_\_\_\_\_

Baseboard Heaters Qty: \_\_\_\_\_ Location: \_\_\_\_\_

Fluorescent Lighting Qty: \_\_\_\_\_ Location: \_\_\_\_\_

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

**Notes:**

\_\_\_\_\_

**Safety Gear:**

**\*\*All safety gear can be supplied to suit Canadian & US Regulations**

**Yes   No**

CO2 Extinguishers	75lbs. Qty: _____	_____
	20Lbs. Qty: _____	_____
	15Lbs. Qty: _____	_____
	5Lbs. Qty: _____	_____
Approved Life Jackets	Qty: _____	_____
Approved Life Ring	Qty: _____	_____
Rockets:	Qty: _____	_____
Flares	Qty: _____	_____
2 Fire Buckets and fire axe		_____
Water tight container for rockets and flares (CSI Required)		_____
Sounding Line (CSI Required)		_____
Air Horn (CSI Required)		_____
Bell (CSI Required)		_____

Liferaft:	4 Man _____	6 Man _____	2 or 4 Man Flat Pack _____	_____
Epirb				_____
Hydrostat Release				_____

**Notes:** \_\_\_\_\_

If there is any more information you would like to include please do so below. Thank you for the interest in our boats!

---

---

---

---

---

---

---

---

---

---

*Janine Dixon*  
VP, Dixon's Marine Group  
(902) 723-2878  
[jdixon@dixonsmarine.com](mailto:jdixon@dixonsmarine.com)